

BLAST Basic Local Alignment Search Tool

•

[Edit and Resubmit](#) [Save Search Strategies](#) [Formatting options](#) [Download](#)

Blast 2 sequences

X98077:Stoll-P1

Results for: ▼

Your BLAST job specified more than one input sequence. This box lets you choose which input sequence to show BLAST results for.

Query ID

gi|1914699|emb|X98077.1|HBVCGWITY

Description

Hepatitis B virus complete genome, wild type

Molecule type

nucleic acid

Query Length

3215

Subject ID

25211

Description

None

Molecule type

nucleic acid

Subject Length

22

Program

BLASTN 2.2.20+ [Citation](#)

Reference

Stephen F. Altschul, Thomas L. Madden, Alejandro A. Schäffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", *Nucleic Acids Res.* 25:3389-3402.

Other reports: [Search Summary](#) [[Taxonomy reports](#)]

Search Parameters

| | |
|-----------------------|--------|
| Program | blastn |
| Word size | 11 |
| Expect value | 10 |
| Hitlist size | 100 |
| Match/Mismatch scores | 2,-3 |
| Gapcosts | 5,2 |
| Low Complexity Filter | Yes |
| Filter string | L;m; |
| Genetic Code | 1 |

Karlin-Altschul statistics

| Params | Ungapped | Gapped |
|--------|----------|--------|
| Lambda | 0.633731 | 0.625 |
| K | 0.408146 | 0.41 |
| H | 0.912438 | 0.78 |

Results Statistics


Effective search space 38460

[Graphic Summary](#)

Distribution of 1 Blast Hits on the Query Sequence

[?]

An overview of the database sequences aligned to the query sequence is shown. The score of each alignment is indicated by one of five different colors, which divides the range of scores into five groups. Multiple alignments on the same database sequence are connected by a striped line. Mousing over a hit sequence causes the definition and score to be shown in the window at the top, clicking on a hit sequence takes the user to the associated alignments. New: This graphic is an overview of database sequences aligned to the query sequence. Alignments are color-coded by score, within one of five score ranges. Multiple alignments on the same database sequence are connected by a dashed line. Mousing over an alignment shows the alignment definition and score in the box at the top. Clicking an alignment displays the alignment detail.



[Dot Matrix View](#)**Plot of gi|1914699|emb|X98077.1|HBVCGWITY vs 25211**

This dot matrix view shows regions of similarity based upon the BLAST results. The query sequence is represented on the X-axis and the numbers represent the bases/residues of the query. The subject is represented on the Y-axis and again the numbers represent the bases/residues of the subject. Alignments are shown in the plot as lines. Plus strand and protein matches are slanted from the bottom left to the upper right corner, minus strand matches are slanted from the upper left to the lower right. The number of lines shown in the plot is the same as the number of alignments found by BLAST.

[Descriptions](#)

Legend for links to other resources: UniGene GEO Gene Structure Map Viewer

Sequences producing significant alignments:

(Click headers to sort columns)

| 25211 | 41.0 | 41.0 | 0% | 2e-08 | 100% |
|-------|------|------|----|-------|------|
| | | | | | |

[Alignments](#) [Select All](#) [Get selected sequences](#) [Distance tree of results](#)

>lcl|25211
Length=22

Score = 41.0 bits (44), Expect = 2e-08
Identities = 22/22 (100%), Gaps = 0/22 (0%)
Strand=Plus/Plus

| | | | |
|-------|------|------------------------|------|
| Query | 1380 | GCTAGGCTGTGCTGCCAACTGG | 1401 |
| | | | |
| Sbjct | 1 | GCTAGGCTGTGCTGCCAACTGG | 22 |

[Select All](#) [Get selected sequences](#) [Distance tree of results](#)